



Provided for non-commercial research and education
use.



Egyptian Academic Journal of Biological Sciences is the official English language journal of the Egyptian Society of Biological Sciences, Department of Entomology, Faculty of Sciences Ain Shams University.

The Journal publishes original research papers and reviews from any zoological discipline or from directly allied fields in ecology, behavioral biology, physiology & biochemistry.

www.eajbs.eg.net



Collection and Identification of Bioinvasive Spider Crab *Acanthonyx euryseroche* Griffin & Tranter, 1986 From Buleji, East Coast, Pakistan

Nuzhat Afsar, Syeda Sobia Nasir, and Abdul Ghani

Institute of Marine Science, University of Karachi, Karachi-75270, Pakistan

E.Mail : nuzhatafsar259@hotmail.com; nafsar@uok.edu.pk

ARTICLE INFO

Article History

Received:2/3/2019

Accepted:25/3/2019

Keywords:

Spider crab,
Majoidea, Buleji,
IAS, East coast,
Pakistan

ABSTRACT

Two female specimens of bioinvasive spider crab *Acanthonyx euryseroche* Griffin & Tranter, 1986 were collected alive in association with brown seaweeds from lower intertidal zone of Buleji (24°50'356"N 66°49'368"E) situated in the vicinity of the largest shipping port along the Karachi coast, Pakistan (Northern Arabian Sea). Collected *Acanthonyx euryseroche* transported to laboratory and housed in sea water filled glass aquarium for further taxonomic studies. Any previous published record of occurrence of this species is not available from Pakistan. Main feature of this species observed to have seaweeds leafy structures affixed on their head region that they use for camouflage thus hide themselves inside the seaweeds for protection purpose. *A. euryseroche* has been declared invasive alien species to the Indo-Pak region. Invasive alien species (IAS) spread outside of their natural distribution and considered a threat to indigenous biodiversity. Entry of this alien species in Pakistani water could be destructive to the native species. Hence, occurrence of *A. euryseroche* requires more rigorous study, monitoring and management plan.

INTRODUCTION

The *Acanthonyx euryseroche* has been reported first time from Pakistan and second time from the Arabian Sea as this commonly known spider crab species was reported for the first time from neighboring territorial waters of central west coast of India (Joshi et al., 2011). Due to meager abundance and restricted occurrence of this species in the harbour regions of India this species is believed bioinvasive alien species in the Northern Arabian Sea.

Anthropogenically influenced introduction of marine bioinvasives is historically an oldest phenomenon on planet earth but was only accredited as a potent driver of change in the marine ecosystems on local and global level (Ojaveer et al., 2018). European Union (EU) passed the regulation on the prevention and management of the introduction and spread of invasive alien species (Regulation (EC) No 1143/2014) also approved and addressed the recommendations of the EU Biodiversity strategy 2020. Non-indigenous alien species may affect endemic species and their ecosystems by changing the habitat, predation, competition, spread of diseases, and other patterns (Eno et al., 1997; Leppäkoski et al., 2002; Streftaris et al., 2005; Wolff, 2005; Kerckhof, 2006; Lescrauwaet et al., 2015).

MATERIALS AND METHODS

Specimens were collected during October 2018 from Buleji rocky ledge (GPS location: 24°50'356"N 66°49'368"E) by hand picking method transferred to laboratory and kept in aquarium for further studies. All necessary physical parameters were taken on spot by the help of research tools. Detailed identification of prescribed species was done by the help of available material found in online identification keys and by reviewing the published literature (Griffin and Tranter, 1986; Kazmi, 1997; Ghory and Siddiqui, 2009; Peter *et al.*, 2008; Joshi *et al.*, 2011; Dev Roy, 2013; Kazmi and Khatoon, 2016; Tamburus and Mantelatto, 2016; Trivedi *et al.*, 2018).

Study Area:

Buleji coast is situated at Southwestern side of the Arabian Sea. It is composed of about 8 kilometers long rocky outcrop, which is triangular and enriched with diverse floral and faunal assemblages. The eastern side is predominately sandy and somewhat muddy-spattered. While its western side is predominantly rocky and comprised of different sizes of tidal pools (Saifullah, 2009; Afsar *et al.*, 2012; Nasir *et al.*, 2018).

RESULTS

Identification of Species:

Two female specimens of *Acanthonyx euryseroche* (Figure 1) were collected alive from the lower tidal rocky zone of Buleji which found dwelt in association of brown seaweeds. Aforementioned species has a specialized feature of seaweed like leafy structure fastened to head region by the virtue of which species can hide itself in seaweeds. During the study, it was observed that the prescribed species could detach its leafy seaweed part by the help of its chelipeds for defense purpose. Specimens were analyzed and identified in the light of diagnostic characters as described by Joshi *et al.* (2011). Taxonomic classification is as given below.

Taxonomic Classification:

Kingdom: Animalia (Margulis, L.; Schwartz, K.V, 1998)

Phylum: Arthropoda von Siebold, 1848

Subphylum: Crustacea Brünnich, 1772

Super class: Multicrustacea Regier *et al.*, 2010

Class: Malacostraca Brusca, R.C.; Brusca, G.J, 1990

Sub-class: Eumalacostraca Brusca, R.C.; Brusca, G.J, 1990

Super order: Eucarida Calman, 1904

Order: Decapoda Latreille, 1802

Suborder: Pleocyemata Burkenroad, 1963

Infra order: Brachyura Latreille, 1802

Super family: Majoidea Samouelle, 1819

Family: Epiplatidae MacLeay, 1838

Genus: *Acanthonyx* Latreille, 1828

Species: *Acanthonyx euryseroche* Griffin & Tranter, 1986

Specimens biometric measurements and in-situ and ex-situ physical parameters are given below

Table 1. Biometrics and physical parameters.

Specimen	Carapace Length	Carapace Width	
1	20 mm	16 mm	
2	17 mm	11 mm	

S. No.	Parameters	In Situ (Field)	Ex Situ (Aquarium):
1	pH	8.0	8.0
2	Salinity	31‰	31‰
3	Temperature	32.6 °C	28.4 °C

Figure 1. Specimen of *Acanthonyx euryseroche* collected from Buleji rocks.

DISCUSSION

Spider crabs decorate their bodies with materials such as algae, sponges and hydroids from their habitats (Wicksten, 1993; Furbock and Patzner, 2005; Joshi et al., 2011). *Acanthonyx* species are widely distributed in Atlantic, Pacific, Indian oceans, alongside Mediterranean and Red Sea (Griffin and Tranter, 1986; Emparanza et al., 2007; Tamburus and Mantelatto, 2016). A phylogenetic study showed all Brazilian and Caribbean specimens of *Acanthonyx* which eventually clustered through analysis in the same clade (Tamburus and Mantelatto, 2016).

Different species of spider crabs belonging to different genera and families have also been reported from Pakistan like Spider *Majid* crabs and *Pleistacantha crab* (Kazmi, 1997). *Majoidea Crabs* such as *Pisidae crab*, *Doclea muricata* (Herbst, 1788), and the *Epialtidae crab*, *Acanthonyx limbatus* were reported by Ghory and Siddiqui (2009). Spider crabs of Family Majidae and Epialtidae of Order Decapoda were identified from the samples collected from Pakistani waters during International Indian Ocean Expedition (IIOE), 1965-66 (Kazmi and Khatoon, 2016). Other foreign researches also revealed the presence of different species of spider crabs belonging to different genera but with the same family of above identified species 58 species of 22 genera belonging to family *Epialtidae* (Peter et al., 2008) and *Acanthonyx lunulatus* have been reported from North-east Atlantic, Portugal, Namibia, Azores and

Mediterranean (Tavares, 2015; Manning and Holthuis, 1981; Guerao and Abello, 1996).

Entry of alien *Acanthonyx euryseroche* in Pakistani water could be destructive to the native species. Hence, occurrence of *A. euryseroche* requires more rigorous study and monitoring.

Acknowledgements

Financial support provided by the University of Karachi under DFS 2017-2018 Research Grant-KU hereby acknowledged.

REFERENCES

- Afsar. N, Siddiqui, G., Ayub, Z. (2012). Updates of records of selected Prosobranch Gastropod species found along the coasts of Sindh and Balochistan, Pakistan. Pak. J. Zool., 44(1): 267-275.
- Dev Roy. M.K. (2013). Diversity and distribution of marine bachyuran crab communities inhabiting West Coast of India. In: Venkataraman, K., Sivaperuman, C. & Raghunathan, C. (Eds.), Ecology and Conservation of Tropical Marine Faunal Communities Part 1. Springer, Berlin & Heidelberg. pp. 147–169.
- Emparanza, E.J.M., Guzmán, G.L., Ng, P.K.L. 2007. A redescription of *Acanthonyx petiverii* H. Milne Edwards, 1834, and designation of a neotype for *Acanthonyx simplex* Dana, 1852 (Brachyura, Majidae). Crustaceana, 80(5): 533-543.
- Eno, N.C., Clark, R.A., Sanderson, W.G. (ed) (1997). Non-native marine species in British waters: a review and directory. Joint Nature Conservation Committee: Peterborough, 152 pp. Gollasch S, Nehring S (2006) National checklist for aquatic alien species in Germany. Aquatic Invasions 1 pp.245–269, <http://dx.doi.org/10.3391/ai.2006.1.4.8>.
- Furbock, S. and Patzner, R.A. (2005). Decoration preferences of *Maja crispata* Risso 1827 (Brachyura, Majidae). Nat. Croat., 14 pp. 175–184.
- Ghory. F.S. and Siddiqui. F.A. (2009). Zoeal Stages of Two Majoidea Crabs, *Doclea muricata* (Herbst, 1788) and *Acanthonyx limbatus* (A. Milne Edwards, 1862), Reared under Laboratory Conditions. Turkish J. Zool., 33: 35-45.
- Griffin. D.J.G. and Tranter, H.A. (1986). The Decapoda Brachyura of the Siboga Expedition. Majidae. Siboga-Expedition Monogr. 39 (C4), Part VIII: 1–335
- Guerao, G. and Abelló, P. (1996). Larval development of *Acanthonyx lunulatus* (Brachyura, Majidae, Epialtinae). J. Plankton Res., 18(7): 1185-1200.
- Joshi, S., Savant, S., Kulkarni, V, Tirodkar, P.S, Emparanza, E.J.M. and Jagtap, T.G. (2011). Occurrence of the spider crab *Acanthonyx euryseroche*, a seaweed associate along the Central West Coast of India. *Current science*, 100: 1236-1240.
- Kazmi, Q.B. (1997). A Review of Spider Majid Crabs of the Northern Arabian Sea, With Particular Reference to Pakistani Species, And with Description Of An Undescribed Pleistacantha. Pak. J. Mari. Sci., 6(1&2): 79-91.
- Kazmi, Q.B. and Khatoon, N. (2016). A compendium of Crustaceans of Pakistani waters living in Partnership. Concise compilation of symbiotic crustaceans of Pakistan with all necessary information (with a chapter on IIOE samples). Lambert academy publishing. Pp. 1-350
- Kerckhof, F. (2006) Exotic invasive animals in the marine ecosystem: the situation in Belgian waters. In: Branquart E, Baus E, Pieret N, Vanderhoeven S, Desmet P (eds), SOS invasions! Abstract book of the conference held on 09 10.03.2006 in Brussels. Belgian Federal Science Policy Office, Brussels, 76 pp.
- Leppäkoski, E., Gollasch, S. and Olenin, S. (2002) Invasive aquatic species of Europe:

- distribution, impacts and management. Kluwer Academic Publishers: Dordrecht, The Netherlands, 583 pp, <http://dx.doi.org/10.1007/978-94-015-9956-6>.
- Lescrauwaet, A.K., Vandepitte, L., Fockede, N., De Pooter, D., Verleye, T. and Mees, J. (2015). Invasive Alien Species in Belgian marine waters: an information platform and checklist for science and policy support. *Management of Biological Invasions*, 6 pp. 209–213. doi: <http://dx.doi.org/10.3391/mbi.2015.6.2.11>.
- Manning, R.B. and Holthuis, L.B. 1981. West African brachyuran crabs (Crustacea: Decapoda). *Smithson. Contrib. Zool.*, 306: 1-379.
- Nasir, S.S., Khan, H. and Afsar, N. (2018). Zoanthids (Cnidaria: Verrill, 1865) Dwelling the Four Rocky Habitats Along The Pakistan Coast. *Int. J. Biol. Biotech.*, 15(4): 765-772.
- Ojaveer, H., Galil, B.S., Carlton, J.T. and Alleway, H. (2018). Ojaveer, H., Galil, B. S., Carlton, J. T., Alleway, H., Gouletquer, P., Lehtiniemi, M., ... Zaiko, A. (2018). Historical baselines in marine bioinvasions: Implications for policy and management. *PLoS One*, 13(8), [e0202383]. <https://doi.org/10.1371/journal.pone.0202383>.
- Peter, K.L., Ng, Guinot. D. and Davie, P.J.F. (2008). *Systema brachyurorum: part i. An annotated checklist of extant brachyuran Crabs of the world*. *The Raffles Bull. Zool.*, 17: 1–286.
- Regulation (EU) No 1143/2014 of the European Parliament and of the Council of 22 October 2014 on the prevention and management of the introduction and spread of invasive alien species. European Commission. Official Journal of the European Union, 2014; L317/35. (Nov 4, 2014). Available from: <http://eur-lex.europa.eu/eli/reg/2014/1143/oj>
- Saifullah, S.M. (2009). A Preliminary Survey of the Standing Crop of Seaweeds from Karachi Coast. *Botanica Marina*, 16: 139-144.
- Streftaris, N., Zenetos, A. and Papathanassiou, E. (2005) Globalisation in marine ecosystems: the story of non-indigenous marine species across European seas. *Oceanography and Marine Biology: An Annual Review*, 43: 419–453.
- Tamburus, A.F. and Mantelatto, F.L. (2016). Taxonomic and Biogeographical Status of Three Species of the Spider Crabs of the Genus *Acanthonyx* Latreille, 1828 (Majoidea: Epialtidae) as Determined by DNA Barcoding and Morphological Analyses along the Western Atlantic. *Zoological Studies*, 55(23): 1-17.
- Tavares, A.I.M. (2015). Phylogeography and phylogeny of the morphologically highly-variable genus *Acanthonyx* Latreille, 1828 (Crustacea, Decapoda, Epialtidae) in the North-east Atlantic and Mediterranean region. *FCUP*. 1-4
- Trivedi, J.N., Gosavi, S. and Vachhrajani, K.D. (2018). Range extension of two brachyuran crabs (Crustacea: Decapoda), *Acanthonyx inglei* Tirmizi & Kazmi, 1988 (Epialtidae) and *Scalopedia indica* Ng & Castro, 2013 (Scalopidiidae) in India. *Thalassas: An International Journal of Marine Sciences*, Pp. 1–5.
- Wicksten, K.M. (1993). A review and a model of decorating behaviour in spider crabs (Decapoda, Brachyura, Majidae). *Crustaceana*, 64: 314–325.
- Wolff, W.J. (2005). Non-indigenous marine and estuarine species in the Netherlands. *Zoologische Mededelingen*, 79(1): 3–116.