# Fusion imaging: Applications in maxillofacial radiology

# Richa Jain<sup>1,\*</sup>, Amit Mhapuskar<sup>2</sup>, Darshan Hiremutt<sup>3</sup>

<sup>1</sup>Post Graduate Student, <sup>2</sup>Professor & HOD, <sup>3</sup>Assistant Professor, Dept. of Oral Medicine & Radiology, Bharati Vidhyapeeth (Deemed to be University) Dental College and Hospital, Pune, India

## \*Corresponding Author:

Email: jain.richads@gmail.com

#### Abstract

Dentistry has witnessed tremendous advances in all its branches over the past three decades. With these advances, the need for more precise diagnostic tools, especially imaging modalities, has become mandatory. Many advanced imaging modalities like CT, MRI, CBCT, PET imaging are available which has made diagnostic imaging very accurate. Some of these modalities give a very good anatomic location and extent of the pathology, while others are able to image the pathology when the organ is in function. But, when both ie the precise anatomic location and functional imaging are required, than fusion of images made by more than one advanced imaging modality is required. This is where fusion imaging plays a significant role.

"Fusion Imaging is the process of registering and combining multiple images from single or multiple imaging modalities to improve the imaging quality and reduce randomness and redundancy to increase the clinical applicability of medical images for diagnosis and assessment of medical problems". It was designed to overcome the disadvantages of anatomic and functional imaging modalities and attempts to provide inputs that improve the image quality by combining the advantages of anatomic and functional imaging modalities for improvising treatment plans.

The fusion imaging information is ultimate and it allows not only better understanding of various physiological and disease process but also helps in monitoring & predicting the course of the treatment and predicting the prognosis.

Keywords: Fusion Imaging, PET-CT, PET-MRI, F18-FDG.

### Introduction

Imaging fusion is the process of combining relevant information of single or multiple images into a single image. The resultant image is more diagnostic and informative than any of the input image. In the medical imaging environment, sources of data include modalities such as Computed Tomography (CT), Magnetic Resonance Imaging (MRI), Positron Emission Tomography (PET) and Single Photon Emission Tomography(SPECT).<sup>1</sup>

The combination of two imaging modalities is known as Hybrid Technique or Fusion Imaging.<sup>2</sup> The aim of fusion imaging is uniting metabolic function with anatomic form.<sup>3</sup>

Radiographic interpretation in some clinical situations can be difficult but the combination of two imaging modalities is more informative and diagnostic.<sup>4</sup> The various anatomic and functional imaging modalities with their advantages, disadvantages and the fusion modalities are summarized in Table 1<sup>5</sup> and Table 2.<sup>5</sup>

# **Combined Imaging**

When fused, the anatomic imaging data from CT/MRI and the functional imaging data by PET, provides additional clinical relevant information. Thus, it improves the diagnostic value of the modalities because it almost eliminates all the negative findings (false negative and false-positive) of PET.<sup>6</sup>

At present, the most frequently used radiotracer in clinical PET scanning is Fluorine-18

Fluorodeoxyglucose (F18-FDG). It is primarily used because it has a longer half-life (110 minutes) there by permitting more flexibility in transport time to the effected sites and better administration to patients.<sup>7</sup>

The three major areas of focus in studies on image fusion are:<sup>8-10</sup> (a) identification, improvement and development of imaging which are useful. (b) different techniques developed for image fusion (c) assessment of medical conditions by the application of fusion imaging to human organs.

# **Need of fusion imaging**

Anatomic and Functional imaging like CT, MRI, PET etc, are the diagnostic procedures have certain limitations. In both MRI and CT, size, contour, enhancement pattern exist but detection of small occult lymph node metastasis is limited. In PET, Anatomic detail is less because of contrast and resolution is little and as pathology is confused with physiological uptake. To reduce all limitations then a 'FUSION IMAGING' comes with all the advantages of the functional and anatomic image data.

#### **Historical View**

In the early 1970s, introduced of the first x-ray CT system, initially for the brain imaging and then later the whole body x-ray studies. <sup>13</sup> Following CT, the 1980s witnessed the appearance of clinical MRI, a technique of particular importance for imaging patients because it does not require the use of ionizing radiation. These two helps in anatomic imaging but do not provide the complete picture. The first human tomographic images

with positron emitting isotopes were presented in 1972, 14 thus establishing PET on the map of medical imaging technologies, to be joined by SPECT a year or so later, following on from the pioneering work of the early 1960s. 15

Hasegawa and colleagues are credited for the conception and design of the first combination of SPECT and CT in the 1990s. 16,17 Now the physicists and scientists have moved towards the modern era that is fusion imaging. In 1998, Townseed and coworkers at the University of Pittsburg pioneered the development of a combination of PET/CT imaging. 18,19

Recently, cost effective and compact designs of dual modility with the more economic approach to multimodality imaging for institutions are available.<sup>5</sup>

Principle of fusion imaging

Fusion Imaging is developed as an innovative concept in Radiology which basically combines the advantages of anatomic and functional imaging for example PET /CTand PET/MRI. These current imaging modalities in oral and maxillofacial region give more information to detect pathologies.<sup>20</sup>

There are two stages of any classical image fusion:

- (a) Image registration
- (b) Fusion of relevant features from the registered images.

Image registration requires a method to correct spatial misalignment between the different image data sets, and often involves compensation of variability from scale changes, rotations and translations.<sup>2</sup>

<sup>5</sup>Table 1: Anatomic imaging modalities

Imaging Modalities	Advantages	Disadvantages	Fusion Modalities
1) Magnetic	Soft tissue is imaged	Sensitive to movement	Ultrasound-MRI
Resonance Imaging	with high accuracy	Longer scan time	MRI-CT
	No exposure to		MRI-PET
	radiation.		MRI-SPECT
2) Computed	Short scan time	Limited tissue	MRI-CT
Tomography	High imaging resolution	characterization because of	SPECT-CT
		nature of x-ray sources	Ultrasound-CT
			FDG-PET-CT
3) Cone-Beam	Short scan time	Low image quality	CBCT-PET
Computed	Lower radiation	Unreliable density	MRI-CBCT
Tomography	exposure	measurements	
4) Ultrasound	Cost effective	Inferior morphological	Ultrasound-MRI
imaging	No exposure radiation	assessment	Ultrasound-CT
	Easy access		MRIgFUS
		Significant inter observer	Real-time virtual
		and intra observer	sonography
		variability	
		variability	

**Table 2: Functional imaging modalities** 

Techniques	Principle and Advantages	Disadvantages	Applications
1 Positron	Transport of radiolabeled	Low resolution (better	Permits evaluation of
emission	glucose into cells	than SPECT)	residual or recurrent
tomography	High sensitivity	Cannot differentiate	disease after treatment
(PET)		inflammatory sites from	Allows treatment
		neoplastic processes	response assessment,
		Chance of false-positives	but
		(brown fat, infection,	may only be valid at
		asymmetric muscle	10–14 weeks after
		activity) and	completion of
		false-negatives (small	treatment
		tumor, low glycolytic	Aids in gross tumor
		activity)	volume contouring and
			biology-guided
			adaptive radiation
			therapy
			planning
2 Single photon	Nuclear medicine	Poor resolution	Detection of condylar
emission	tomographic imaging using	Time-consuming	hyperplasia

compared tomography (SPECT)  3 Proton MR spectroscopy  4 Computed Cho-Cr levels suggest higher membrane turnover) in tissues  4 Computed tomographic perfusion (CTP)  5 Perfusion-weighted MRI minaging (DWI)  5 Perfusion-weighted minaging (DWI)  6 Diffusion-weighted MRI minaging (DWI)  7 Diffusion tensor imaging (DWI)  7 Diffusion was a characterizes 3-D diffusion tensor imaging of water molecular motion expension of tensor imaging of water molecular motion expension of water molecular motion expension of water of water of water of water of the perfusion of water of water of contrast medium injection of a lesion for contrast medium injection of a lesion for level similar to CTP office the perfusion of a lesion for level similar to CTP office the perfusion of water molecular motion expension and perfusion of water molecular motion expressed as lower ADC values Reproducible images in any MRI protocol  7 Diffusion tensor imaging of water of water molecular motion expension of water molecular motion expension of water molecular motion expension of water molecular motion expressed as lower ADC values Reproducible images in any MRI protocol  7 Diffusion tensor imaging of water molecular motion expension and perfusion of water molecular motion expension perfusion perfusion of water molecular motion expension perfusion perfusion of water water and perfusion of water perfusion of wate	computed	gamma-rays or	Underestimation is	Presence of metastatic
SPECT   Specification   Spec	_			
3 Proton MR spectroscopy  A Computed Cho/Cr levels suggest higher membrane turnover) in tissues  4 Computed Tomographic perfusion (CTP)  4 Computed contrast medium through the region Evaluates blood volume, blood flow, mean transit time, and capillary permeability of a lesion Reproducible technique  5 Perfusion—weighted MRI  5 Perfusion—weighted Imaging (DWI)  6 Diffusion—weighted imaging (DWI)  7 Diffusion  Tissues that are more compact at the molecular molecul		characteristic 11 rays		
3 Proton MR spectroscopy	( /			
3 Proton MR spectroscopy  A Computed Chof-Crevels suggest higher membrane turnover) in tissues  4 Computed area of interest during passage of a fast boltus of iodinated contrast medium through the region Evaluates blood volume, blood flow, mean transit time, and capillary permeability of a lesion Reproducible technique  5 Perfusion-weighted manging (DWI)  6 Diffusion-weighted imaging (DWI)  7 Diffusion-weighted Protocol  7 Diffusion-weighted MRI and protocol  7 Diffusion-weighted manging (DWI)  A Continuous recording of X-low signal-to-noise ratio betteen declarate turnover) in tissues  Low signal-to-noise ratio Benign neck turnors Differentiates between malignant and benign salivary gland tumors Evaluation of residual and recurrent tumor foollowing treatment (early prediction of contrast medium through the region Evaluates blood volume, blood flow, mean transit time, and capillary permeability of a lesion  Reproducible technique  Blood flow dynamics at microcirculation level Similar to CTP  Similar to CTP  Blood flow dynamics at microcirculation level Similar to CTP  Similar to CTP  Diffusion-weighted manging (DWI)  A Continuous recording of X-ray attenuation over fixed area of interest during passage of on fast bothus of interest during passage of a fast bothus of				cancer
S Proton MR spectroscopy   Spectro				Evaluation of
Detects presence of specific metabolites (elevated Cho/Cr levels suggest higher membrane turnover) in tissues   Continuous recording of X-tomographic perfusion (CTP)   A Computed tomographic perfusion (CTP)   Tay attenuation over fixed area of interest during passage of a fast bolus of iodinated contrast medium through the region Evaluates blood volume, blood flow, mean transit time, and capillary permeability of a lesion Reproducible technique   Similar to CTP   Similar to CTP   Diffusion-weighted limaging (DWI)   Tissues that are more compact at the molecular level (e.g., tissues with higher cellularity) tend to show relative reduction of water molecular motion expressed as lower ADC values Reproducible images in any MRI protocol   Characterizes 3-D diffusion   Von Similar to CTP   Diffusion   Characterizes 3-D diffusion   Nonspecific marker of   Sill in experimental   Sill in experimental   Von Stell in experimental   Von Stell in experimental   Von Stell in experimental   Von Stell in experimental   Von Values repondented				mandibular growth in
Spectroscopy				asymmetries
Cho/Cr levels suggest higher membrane turnover) in tissues  4 Computed tomographic perfusion (CTP)  4 Computed tomographic perfusion (CTP)  8 Fequives injection of contrast medium contrast medium through the region evaluates blood volume, blood flow, mean transit time, and capillary permeability of a lesion  8 Fequives injection of contrast medium area of interest during passage of a fast bolus of iodinated contrast medium through the region evaluates blood volume, blood flow, mean transit time, and capillary permeability of a lesion expression of the compact at the molecular weighted maging (DWI)  6 Diffusion—weighted imaging (DWI)  7 Diffusion  Characterizes 3-D diffusion  Characterizes 3-D diffusion  Continuous recording of X-ray attenuation over fixed area of interest during passage of a fast bolus of iodinated contrast medium anignant lesions from benign lesions of the contrast medium anignant lesion spreads to chemoradiation of recurrent tumor from posttherapy changes Predicts response to chemoradiation Non-invasive measurement of intratumoral MVD (risk factor for local recurrence, shorter disease-free survival, and distant metastases)  5 Perfusion—weighted minimaging (DWI)  6 Diffusion  8 Paramagnetic contrast medium injection Longer scan time Differentiates tumors from normal tissues  9 Predicts response to chemoradiation  1 Lack of optimized threshold ADC values succeptibility to dental fillings causing magnetic artifacts  1 Lack of optimized threshold ADC values are producible images in any MRI protocol  2 Paramagnetic contrast medium analignant changes or radionsecrosis predicts response to chemoradiation (tumors with lower DC compared with non-malignant changes or radionsecrosis predicts response to chemoradiation (tumors with lower DC values respond better)			Low signal-to-noise ratio	
higher membrane turnover) in tissues    Salivary gland tumors Evaluation of residual and recurrent tumors following treatment (early prediction possible) Has potential to predict response or a fixed and recurrent tumors following treatment (early prediction possible) Has potential to predict response or a fixed and recurrent tumor from possible) Has potential to predict response or a fixed and recurrent tumor from postable and recurrent tumor from passage of a fast bolus of iodinated contrast medium through the region Evaluates blood volume, blood flow, mean transit time, and capillary permeability of a lesion   Reproducible technique   Perdicts response to chemoradiation   Non-invasive measurement of intratumoral MVD (risk factor for local recurrence, shorter disease-free survival, and distant metastases)   S Perfusion-weighted   Similar to CTP   Paramagnetic contrast medium injection   Longer scan time   Difficulty in optimization	spectroscopy	` `		
in tissues    Continuous recording of X-ray attenuation over fixed area of interest during passage of a fast bolus of iodinated contrast medium through the region Evaluates blood volume, blood flow, mean transit time, and capillary permeability of a lesion Reproducible technique    Source   Perfusion   Pe				C C
4 Computed 4 Computed perfusion (CTP)  Solution (CTP)  For Insight (CTP)  Solution (CTP)  Soliteratiates (Contrast malignant (Contrast malignant (Contrast mal				
4 Computed tomographic perfusion (CTP)  4 Computed tomographic perfusion (CTP)  Flusion (CTP)  Flusion (CTP)  Blood flow dynamics at microcirculation level Similar to CTP  5 Perfusion-weighted maging (DWI)  Flusion-weighted imaging (DWI)  Flusion-weighted images in any MRI protocol  Flusion-		in tissues		
4 Computed tomographic perfusion (CTP)  Perfusion (CTP)  Figure 1				
4 Computed tomographic perfusion (CTP)  4 Computed tomographic perfusion (CTP)  8 Continuous recording of X-ray attenuation over fixed are of interest during passage of a fast bolus of iodinated contrast medium through the region  Evaluates blood volume, blood flow, mean transit time, and capillary permeability of a lesion  Reproducible technique  5 Perfusion-weighted MRI  6 Diffusion-weighted imaging (DWI)  7 Diffusion  Robot Characterizes 3-D diffusion  Characterizes 3-D diffusion  Ochracterizes 3-D diffusion  Reproducible technique  Continuous recording of X-ray attenuation over fixed are frequency from contrast medium Large exposure to radiation of recurrent tumor from posttherapy changes Predicts response to chemoradiation Non-invasive measurement of intratumoral MVD (risk factor for local recurrence, shorter disease-free survival, and distant metastases)  Differentiates tumors from normal tissues  Differentiates benign lesions Differentiates benign lesions from normal tissues  Differentiates benign lesions of contrast medium injection Longer scan time Difficulty in optimization  Evaluation of post-radiation therapy xerostomia Recurrent tumors show decreased ADC compared with non-malignant changes or radionecrosis predicts response to chemoradiation (tumors with lower DC values respond better)  Reproducible images in any MRI protocol  7 Diffusion  Characterizes 3-D diffusion  Nonspecific marker of  Sitill in experimental				_
4 Computed tomographic perfusion (CTP)  4 Computed tomographic perfusion (CTP)  5 Perfusion  6 Diffusion-weighted maging (DWI)  6 Diffusion-weighted imaging (DWI)  7 Diffusion  Characterizes 3-D diffusion  4 Continuous recording of X-ray attenuation over fixed area of interest during passage of a fast bolus of iodinated contrast medium through the region Evaluates blood volume, blood flow, mean transit time, and capillary permeability of a lesion  Reproducible technique  Formula in the producible technique  Formula in the producible technique  Formula in the producible images in any MRI protocol  Formula in the producible images in any MRI protocol  Formula in the producible images in any MRI protocol  Formula in the producible images in any MRI protocol  Formula in the producible images in any MRI protocol  Formula in the producible images in any MRI protocol  Formula in the producible images in any MRI protocol  Formula in the producible images in any MRI protocol  Formula in the producible images in any MRI protocol  Formula in the producible images in any MRI protocol  Formula in the producible images in any MRI protocol  Formula in the producible images in any MRI protocol  Formula in the producible image in any MRI protocol  Formula in the producible image in any MRI protocol  Formula in the producible image in any MRI protocol  Formula in the producible image in any MRI protocol  Formula in the gent in the producible image in any MRI protocol  Formula in the producible image in any MRI protocol  Formula in the producible image in any MRI protocol  Formula in the producible image in any MRI protocol  Formula in the producible image in any MRI protocol  Formula in the producible image in any MRI protocol  Formula in the producible image in any MRI protocol  Formula in the producible image in any MRI protocol  Formula in the producible image in any MRI protocol  Formula in the producible image in any MRI protocol  Formula in the producible image in any MRI protocol  Formula in the producible image in any MR				
4 Computed tomographic perfusion (CTP)  8 A Sassage of a fast bolus of iodinated contrast medium through the region Evaluates blood volume, blood flow, mean transit time, and capillary permeability of a lesion  8 A Computed tomographic ray attenuation over fixed area of interest during passage of a fast bolus of iodinated contrast medium contrast medium of radiation  8 A Computed time, and capillary permeability of a lesion  8 A Computed time, and capillary permeability of a lesion  8 A Computed time, and capillary permeability of a lesion  8 A Computed time, and capillary permeability of a lesion  8 A Computed time, and capillary permeability of a lesion  8 A Computed time, and capillary permeability of a lesion Reproducible technique  9 A Paramagnetic contrast medium countration of recurrence, shorter disease-free survival, and distant metastases)  9 A Paramagnetic contrast medium injection Longer scan time Difficulty in optimized threshold ADC values Susceptibility to dental fillings causing magnetic artifacts  10 Differentiates tumors from normal tissues  11 D Diffusion compact at the molecular motion expressed as lower ADC values  12 Requires injection contrast medium injection Longer scan time did interesting time and interesti				
Continuous recording of X-ray attenuation over fixed area of interest during passage of a fast bolus of iodinated contrast medium through the region Evaluates blood volume, blood flow, mean transit time, and capillary permeability of a lesion Reproducible technique    Separation   Paramagnetic contrast medium through the region   Evaluates blood volume, blood flow, mean transit time, and capillary permeability of a lesion   Reproducible technique   Paramagnetic contrast medium injection   Longer scan time   Difficulty in optimization   Lack of optimized threshold ADC values   Similar to CTP   Lack of optimized threshold ADC values   Susceptibility to dental   fillings causing magnetic artifacts   Evaluation of postherapy changes   Paramagnetic contrast medium injection   Longer scan time   Difficulty in optimization   Lack of optimized threshold ADC values   Susceptibility to dental   fillings causing magnetic artifacts   Evaluation of post-radiation   Evaluation of post-radiation   Paramagnetic contrast medium   Difficulty in optimization   Differentiates tumors   Differentiates benign   Lack of optimized threshold ADC values   Susceptibility to dental   fillings causing magnetic artifacts   Evaluation of post-radiation (therapy xerostomia   Recurrent tumors show decreased ADC compared with non-malignant changes or radionecrosis   Predicts response to chemoradiation   Predicts respond better   Paramagnetic contrast medium   Large exposure to radiation   Predicts response to chemoradiation   Paramagnetic contrast medium   Differentiates				
tomographic perfusion (CTP)  Passage of a fast bolus of iodinated contrast medium through the region  Evaluates blood volume, blood flow, mean transit time, and capillary permeability of a lesion  Reproducible technique  Blood flow dynamics at microcirculation level Similar to CTP  Obiffusion-weighted maging (DWI)  For Diffusion  Tissues that are more compact at the molecular level (e.g., tissues with higher cellularity) tend to show relative reduction of water molecular motion expressed as lower ADC values  Reproducible images in any MRI protocol  Tournel and contrast medium Large exposure to radiation  Large exposure to radiation  Differentiation of recurrent tumor from posttherapy changes  Predicts response to chemoradiation  Non-invasive measurement of intratumoral MVD (risk factor for local recurrence, shorter disease-free survival, and distant metastases)  Paramagnetic contrast medium injection  Longer scan time Difficulty in optimized threshold ADC values  Susceptibility to dental fillings causing magnetic artifacts  Tissues that are more compact at the molecular level (e.g., tissues with higher cellularity) tend to show relative reduction of water molecular motion expressed as lower ADC values  Reproducible images in any MRI protocol  Tournel values (e.g., tissues with higher cellularity) tend to show relative reduction of water molecular motion expressed as lower ADC values  Reproducible images in any MRI protocol  Tournel values (e.g., tissues with higher cellularity) tend to show relative reduction of water molecular motion expressed as lower ADC values  Recurrent tumors from posttherapy variation of post-radiation therapy variation therapy variation of post-radiation therapy variation to the compact of the producible images or radionecrosis predicts response to chemoradiation (tumors with lower DC values respond better)  Tournel values (e.g., tissues with higher cellularity) tend to show relative reduction of water values (e.g., tissues with higher cellularity) tend to show relative reduction of wat	4 Computed	Continuous recording of X-	Requires injection of	-
passage of a fast bolus of iodinated contrast medium through the region Evaluates blood volume, blood flow, mean transit time, and capillary permeability of a lesion Reproducible technique  5 Perfusion-weighted MRI  6 Diffusion-weighted imaging (DWI)  Tissues that are more compact at the molecular level (e.g., tissues with higher cellularity) tend to show relative reduction of water molecular motion expressed as lower ADC values Reproducible images in any MRI protocol  Passage of a fast bolus of iodinated contrast time, and capillary permeability of a lesion (Non-invasive measurement of intratumoral MVD (risk factor for local recurrence, shorter disease-free survival, and distant metastases)  Differentiates tumors from normal tissues  Differentiates benign lesions from malignant lesions from malignant lesions  Recurrent tumors show decreased ADC compared with non-malignant changes or radionecrosis  Predicts response to chemoradiation (tumors with lower DC values respond better)  7 Diffusion  Characterizes 3-D diffusion  Nonspecific marker of  Still in experimental		ray attenuation over fixed	contrast medium	malignant lesions from
a fast bolus of iodinated contrast medium through the region Evaluates blood volume, blood flow, mean transit time, and capillary permeability of a lesion Reproducible technique  5 Perfusion-weighted MRI microcirculation level Similar to CTP  6 Diffusion-weighted imaging (DWI)  6 Diffusion-weighted maging (DWI)  MRI protocol  7 Diffusion  Characterizes 3-D diffusion  Characterizes 3-D diffusion  A fast bolus of iodinated contrast time, and capillary permeability of a lesion Reproducible technique  Paramagnetic contrast medium injection Longer scan time Difficulty in optimization  Lack of optimized threshold ADC values Susceptibility to dental fillings causing magnetic artifacts  Tissues that are more compact at the molecular level (e.g., tissues with higher cellularity) tend to show relative reduction of water molecular motion expressed as lower ADC values  Reproducible images in any MRI protocol  7 Diffusion  Characterizes 3-D diffusion  Non-invasive measurement of intratumoral MVD (risk factor for local recurrence, shorter disease-free survival, and distant metastases)  Differentiates tumors from normal tissues  Differentiates benign lesions from malignant lesions from malignant lesions from malignant lesions from malignant leaves artifacts  Paramagnetic contrast medium injection  Longer scan time Difficulty in optimization  Lack of optimized threshold ADC values  Susceptibility to dental fillings causing magnetic artifacts  Paramagnetic contrast medium injection  Longer scan time Difficulty in optimization  Lack of optimized threshold ADC values  Susceptibility to dental fillings causing magnetic artifacts  Paramagnetic contrast measurement of intratumoral MVD (risk factor for local recurrence, shorter disease-free survival, and distant metastrases)  Differentiates benign lesions from malignant lesions from mormal tissues  Compact at the molecular motion expressed as location developed threshold ADC values  Sevaluation of post-radionecrosis Predicts response to chemoradiation (tumors with lower DC values res	perfusion (CTP)			
contrast medium through the region Evaluates blood volume, blood flow, mean transit time, and capillary permeability of a lesion Reproducible technique  5 Perfusion-weighted MRI  6 Diffusion-weighted imaging (DWI)  Tissues that are more compact at the molecular level (e.g., tissues with higher cellularity) tend to show relative reduction of water molecular motion expressed as lower ADC values Reproducible images in any MRI protocol  To Diffusion  Characterizes 3-D diffusion  Characterizes 3-D diffusion  Non-invasive measurement of intratumoral MVD (risk factor for local recurrence, shorter disease-free survival, and distant metastases)  Differentiates tumors from normal tissues  Differentiates benign lesions from malignant lesions from malignant lesions  Evaluation of post-radiation therapy xerostomia Recurrent tumors show decreased ADC compared with non-malignant changes or radionecrosis Predicts response to chemoradiation  Non-invasive measurement of intratumoral MVD (risk factor for local recurrence, shorter disease-free survival, and distant metastases)  Differentiates benign lesions from malignant lesions  Evaluation of post-radiation therapy xerostomia Recurrent tumors show decreased ADC compared with non-malignant changes or radionecrosis Predicts response to chemoradiation  Non-invasive measurement of intratumoral MVD (risk factor for local recurrence, shorter disease-free survival, and distant metastases)  Differentiates benign lesions Evaluation of post-radiation therapy xerostomia Recurrent tumors show decreased ADC compared with non-malignant changes or radionecrosis Predicts response to chemoradiation (tumors with lower DC values respond better)			radiation	
the region Evaluates blood volume, blood flow, mean transit time, and capillary permeability of a lesion Reproducible technique  5 Perfusion- weighted MRI  6 Diffusion- weighted imaging (DWI)  Tissues that are more compact at the molecular level (e.g., tissues with higher cellularity) tend to show relative reduction of water molecular motion expressed as lower ADC values Reproducible images in any MRI protocol  To Diffusion  Characterizes 3-D diffusion  Non-invasive measurement of intratumoral MVD (risk factor for local recurrence, shorter disease-free survival, and distant metastases)  Paramagnetic contrast medium injection Longer scan time Difficulty in optimization  Lack of optimized threshold ADC values Susceptibility to dental fillings causing magnetic artifacts  Differentiates benign lesions from malignant lesions Evaluation of post-radiation therapy variotsomia Recurrent tumors show decreased ADC compared with non-malignant changes or radionecrosis Predicts response to chemoradiation Non-invasive measurement of intratumoral MVD (risk factor for local recurrence, shorter disease-free survival, and distant metastases)  Differentiates tumors from normal tissues  Differentiates benign lesions from malignant lesions Evaluation of post-radiation therapy variotsomia Recurrent tumors show decreased ADC compared with non-malignant changes or radionecrosis Predicts response to chemoradiation (tumors with lower DC values respond better)  7 Diffusion  Characterizes 3-D diffusion Nonspecific marker of  Still in experimental				
Evaluates blood volume, blood flow, mean transit time, and capillary permeability of a lesion Reproducible technique  Blood flow dynamics at microcirculation level Similar to CTP  Tissues that are more weighted imaging (DWI)  Fow relative reduction of expressed as lower ADC values Reproducible images in any MRI protocol  Tolffusion  Will protocol  Evaluates blood volume, blood flow, mean transit time, and capillary permeability of a lesion Reproducible technique  Paramagnetic contrast medium injection Longer scan time Difficulty in optimization  Differentiates tumors from normal tissues  Differentiates benign lesions from malignant lesions  Evaluation of post-radiation therapy xerostomia Recurrent tumors show decreased ADC compared with non-malignant changes or radionecrosis Predicts response to chemoradiation  Tourier sponse to chemoradiation  Non-invasive measurement of intratumoral MVD (risk factor for local recurrence, shorter disease-free survival, and distant metastases)  Paramagnetic contrast medium injection Longer scan time Difficulty in optimization  Differentiates benign lesions from malignant lesions  Evaluation of post-radiation therapy xerostomia Recurrent tumors show decreased ADC compared with non-malignant changes or radionecrosis  Predicts response to chemoradiation (tumors with lower DC values respond better)  7 Diffusion  Characterizes 3-D diffusion  Nonspecific marker of  Still in experimental				
blood flow, mean transit time, and capillary permeability of a lesion Reproducible technique  5 Perfusion-weighted MRI  6 Diffusion-weighted imaging (DWI)  Tissues that are more compact at the molecular level (e.g., tissues with higher cellularity) tend to show relative reduction of water molecular motion expressed as lower ADC values Reproducible images in any MRI protocol  7 Diffusion  Characterizes 3-D diffusion  Non-invasive measurement of intratumoral MVD (risk factor for local recurrence, shorter disease-free survival, and distant metastases)  Paramagnetic contrast medium injection Longer scan time Difficulty in optimization  Lack of optimized threshold ADC values Susceptibility to dental fillings causing magnetic artifacts  Evaluation of post-radiation therapy xerostomia Recurrent tumors show decreased ADC compared with non-malignant changes or radionecrosis Predicts response to chemoradiation (tumors with lower DC values respond better)  7 Diffusion  Characterizes 3-D diffusion  Non-invasive measurement of intratumoral MVD (risk factor for local recurrence, shorter disease-free survival, and distant metastases)  Differentiates tumors from normal tissues  Differentiates benign lesions from malignant lesions Evaluation of post-radiation therapy xerostomia Recurrent tumors show decreased ADC compared with non-malignant changes or radionecrosis Predicts response to chemoradiation (tumors with lower DC values respond better)				
time, and capillary permeability of a lesion Reproducible technique  5 Perfusion- weighted MRI  6 Diffusion- weighted imaging (DWI)  Tissues that are more compact at the molecular level (e.g., tissues with higher cellularity) tend to show relative reduction of water molecular motion expressed as lower ADC values Reproducible images in any MRI protocol  7 Diffusion  Characterizes 3-D diffusion  Nonspecific marker of  Non-invasive measurement of intratumoral MVD (risk factor for local recurrence, shorter disease-free survival, and distant metastases)  Differentiates tumors from normal tissues  Differentiates benign lesions from malignant lesions Evaluation of post-radiation of post-radiation therapy xerostomia Recurrent tumors show decreased ADC compared with non-malignant changes or radionecrosis Predicts response to chemoradiation (tumors with lower DC values respond better)  7 Diffusion  Characterizes 3-D diffusion  Nonspecific marker of  Still in experimental		1		-
permeability of a lesion Reproducible technique Reproducible images in any Reproducible technique Redum injection Longer scan time Difficulty in optimized threshold ADC values Resurent temors benign Recurrent tumors show decreased ADC compared with non-malignant changes or radionecrosis Recurrent tumors show decreased ADC compared with non-malignant changes or radionecrosis Reproducible technique recurrence, shorter disease-free survival, and distant metastases)  Differentiates tumors from normal tissues Susceptibility to dental fillings causing magnetic artifacts Recurrent tumors show decreased ADC compared with non-malignant changes or radionecrosis Reproducible images in any MRI protocol  Total Tecurrence, shorter disease-free survival, and distant metastases)  Differentiates tumors from normal tissues  Evaluation of post-radiation therapy xerostomia Recurrent tumors show decreased ADC compared with non-malignant changes or radionecrosis Reproducible images in any MRI protocol  Total Tecurrenc				
a lesion Reproducible technique Reductor disease-free survival, and distant metastases) Differentiates tumors From normal tissues Reproducible threshold ADC values Susceptibility to dental fillings causing magnetic artifacts Revaluation of post-radiation therapy xerostomia Recurrent tumors show decreased ADC compared with non-malignant changes or radionecrosis Predicts response to chemoradiation (tumors with lower DC values respond better)  7 Diffusion Characterizes 3-D diffusion Nonspecific marker of Still in experimental				
Reproducible technique  Redum injection  Longer scan time  Difficulty in  optimization  Lack of optimized threshold ADC values  Susceptibility to dental fillings causing magnetic artifacts  Evaluation of post- radiation therapy xerostomia Recurrent tumors show decreased ADC compared with non- malignant changes or radionecrosis  Predicts response to chemoradiation (tumors with lower DC values respond better)  7 Diffusion  Characterizes 3-D diffusion  Nonspecific marker of  Still in experimental				
5 Perfusion- weighted MRI  Tissues that are more weighted imaging (DWI)  Tissues that are more compact at the molecular level (e.g., tissues with higher cellularity) tend to show relative reduction of water molecular motion expressed as lower ADC values Reproducible images in any MRI protocol  Tolffusion  Characterizes 3-D diffusion  Recurrence, shorter disease-free survival, and distant metastases)  Differentiates tumors from normal tissues  Differentiates benign lesions from malignant lesions Evaluation of post- radiation therapy xerostomia Recurrent tumors show decreased ADC compared with non- malignant changes or radionecrosis Predicts response to chemoradiation (tumors with lower DC values respond better)  Still in experimental		Reproducible technique		
5 Perfusion- weighted MRI  6 Diffusion- weighted imaging (DWI)  Figure 7 Diffusion  Wighted MRI  Tissues that are more compact at the molecular level (e.g., tissues with higher cellularity) tend to show relative reduction of water molecular motion expressed as lower ADC values Reproducible images in any MRI protocol  Tolffusion  Recurrent tumors from normal tissues  Differentiates tumors from normal tissues  Differentiates benign lesions from malignant lesions Evaluation of post-radiation therapy xerostomia Recurrent tumors show decreased ADC compared with non-malignant changes or radionecrosis Predicts response to chemoradiation (tumors with lower DC values respond better)  Tourision  Characterizes 3-D diffusion  Nonspecific marker of  Suili in experimental				recurrence,
5 Perfusion- weighted MRI  6 Diffusion- weighted imaging (DWI)  Figure 1 Diffusion oxpressed as lower ADC values Reproducible images in any MRI protocol  7 Diffusion  Characterizes 3-D diffusion  Nonspecific marker of  Blood flow dynamics at microcirculation level similar to CTP  Blood flow dynamics at microcirculation level similar to CTP  Paramagnetic contrast medium injection Longer scan time Difficulty in optimization  Lack of optimized threshold ADC values Susceptibility to dental fillings causing magnetic artifacts  Blood flow dynamics at microcirculation level similar to CTP  Longer scan time Difficulty in optimized threshold ADC values Susceptibility to dental fillings causing magnetic artifacts  Evaluation of post-radiation therapy xerostomia Recurrent tumors show decreased ADC compared with non-malignant changes or radionecrosis Predicts response to chemoradiation (tumors with lower DC values respond better)  7 Diffusion  Characterizes 3-D diffusion  Nonspecific marker of  Still in experimental				
Blood flow dynamics at microcirculation level Similar to CTP   Differentiates tumors from normal tissues				·
weighted MRI  microcirculation level Similar to CTP  from normal tissues  Differentiates benign lesions from malignant lesions  Evaluation of post- radiation therapy xerostomia Recurrent tumors show decreased ADC compared with non- malignant changes or radionecrosis Predicts response to chemoradiation (tumors with lower DC values respond better)  7 Diffusion  Characterizes 3-D diffusion  Nonspecific marker of  Still in experimental				,
Similar to CTP  Longer scan time Difficulty in optimization  Tissues that are more compact at the molecular imaging (DWI)  level (e.g., tissues with higher cellularity) tend to show relative reduction of water molecular motion expressed as lower ADC values Reproducible images in any MRI protocol  MRI protocol  Differentiates benign lesions from malignant lesions Evaluation of post- radiation therapy xerostomia Recurrent tumors show decreased ADC compared with non- malignant changes or radionecrosis Predicts response to chemoradiation (tumors with lower DC values respond better)  Differentiates benign lesions Evaluation of post- radiation therapy xerostomia Recurrent tumors show decreased ADC compared with non- malignant changes or radionecrosis Predicts response to chemoradiation (tumors with lower DC values respond better)  Diffusion  Characterizes 3-D diffusion Nonspecific marker of Still in experimental		1	_	
6 Diffusion- weighted imaging (DWI)  Figure 1	weighted MRI			from normal tissues
6 Diffusion- weighted compact at the molecular imaging (DWI) level (e.g., tissues with higher cellularity) tend to show relative reduction of expressed as lower ADC values Reproducible images in any MRI protocol  7 Diffusion  Tissues that are more compact at the molecular threshold ADC values Susceptibility to dental fillings causing magnetic artifacts  Lack of optimized threshold ADC values Susceptibility to dental fillings causing magnetic artifacts  Evaluation of post-radiation therapy xerostomia Recurrent tumors show decreased ADC compared with non-malignant changes or radionecrosis Predicts response to chemoradiation (tumors with lower DC values respond better)  7 Diffusion  Characterizes 3-D diffusion  Nonspecific marker of  Still in experimental		Similar to CTP		
6 Diffusion- weighted imaging (DWI)  Provided  weighted imaging (DWI)  Reproducible images in any MRI protocol  Tissues that are more compact at the molecular level (e.g., tissues with higher cellularity) tend to show relative reduction of water molecular motion expressed as lower ADC values Reproducible images in any MRI protocol  Tissues that are more compact at the molecular threshold ADC values Susceptibility to dental fillings causing magnetic artifacts  Evaluation of post- radiation therapy xerostomia Recurrent tumors show decreased ADC compared with non- malignant changes or radionecrosis Predicts response to chemoradiation (tumors with lower DC values respond better)  T Diffusion  Characterizes 3-D diffusion  Nonspecific marker of  Still in experimental			•	
weighted imaging (DWI)  level (e.g., tissues with higher cellularity) tend to show relative reduction of water molecular motion expressed as lower ADC values Reproducible images in any MRI protocol  To Diffusion    Characterizes 3-D diffusion   Document of threshold ADC values threshold ADC values Susceptibility to dental fillings causing magnetic artifacts    Susceptibility to dental fillings causing magnetic artifacts   Evaluation of post-radiation therapy xerostomia   Recurrent tumors show decreased ADC   compared with non-malignant changes or radionecrosis   Predicts response to chemoradiation (tumors with lower DC values respond better)    Susceptibility to dental fillings causing magnetic artifacts   Evaluation of post-radiation therapy   Xerostomia   Recurrent tumors show decreased ADC   compared with non-malignant changes or radionecrosis   Predicts response to chemoradiation (tumors with lower DC values respond better)	6 Diffusion-	Tissues that are more		Differentiates benion
imaging (DWI)  level (e.g., tissues with higher cellularity) tend to show relative reduction of water molecular motion expressed as lower ADC values Reproducible images in any MRI protocol  7 Diffusion  level (e.g., tissues with higher cellularity) tend to show relative reduction of water molecular motion expressed as lower ADC values Reproducible images in any MRI protocol  Characterizes 3-D diffusion  Susceptibility to dental fillings causing magnetic artifacts  Evaluation of post-radiation therapy xerostomia Recurrent tumors show decreased ADC compared with non-malignant changes or radionecrosis Predicts response to chemoradiation (tumors with lower DC values respond better)  7 Diffusion  Characterizes 3-D diffusion  Nonspecific marker of  Still in experimental			<u> </u>	_
higher cellularity) tend to show relative reduction of water molecular motion expressed as lower ADC values Reproducible images in any MRI protocol  7 Diffusion  Characterizes 3-D diffusion  higher cellularity) tend to show fillings causing magnetic artifacts  fillings causing magnetic artifacts  Fuluation of postradiation therapy xerostomia Recurrent tumors show decreased ADC compared with nonmalignant changes or radionecrosis Predicts response to chemoradiation (tumors with lower DC values respond better)  Still in experimental				_
show relative reduction of water molecular motion expressed as lower ADC values Reproducible images in any MRI protocol  7 Diffusion  Show relative reduction of water molecular motion expressed as lower ADC values Recurrent tumors show decreased ADC compared with nonmalignant changes or radionecrosis Predicts response to chemoradiation (tumors with lower DC values respond better)  Still in experimental				
water molecular motion expressed as lower ADC values Reproducible images in any MRI protocol  MRI protocol  To Diffusion  Characterizes 3-D diffusion  water molecular motion expressed as Recurrent tumors show decreased ADC compared with non- malignant changes or radionecrosis Predicts response to chemoradiation (tumors with lower DC values respond better)  Still in experimental				
lower ADC values Reproducible images in any MRI protocol  MRI protocol  To Diffusion  Characterizes 3-D diffusion  Characterizes 3-D diffusion  decreased ADC compared with non- malignant changes or radionecrosis Predicts response to chemoradiation (tumors with lower DC values respond better)  Still in experimental		water molecular motion		xerostomia
Reproducible images in any MRI protocol  Reproducible images in any MRI protocol  Reproducible images in any MRI protocol  Reproducible images in any malignant changes or radionecrosis Predicts response to chemoradiation (tumors with lower DC values respond better)  7 Diffusion  Characterizes 3-D diffusion  Nonspecific marker of  Still in experimental		I =		
MRI protocol  malignant changes or radionecrosis Predicts response to chemoradiation (tumors with lower DC values respond better)  7 Diffusion  Characterizes 3-D diffusion  Nonspecific marker of  Still in experimental				
radionecrosis Predicts response to chemoradiation (tumors with lower DC values respond better)  7 Diffusion Characterizes 3-D diffusion Nonspecific marker of Still in experimental				
Predicts response to chemoradiation (tumors with lower DC values respond better)  7 Diffusion Characterizes 3-D diffusion Nonspecific marker of Still in experimental		MIKI protocol		_
7 Diffusion Characterizes 3-D diffusion Nonspecific marker of Still in experimental				
7 Diffusion Characterizes 3-D diffusion Nonspecific marker of Still in experimental				-
7 Diffusion Characterizes 3-D diffusion Nonspecific marker of Still in experimental				
7 Diffusion Characterizes 3-D diffusion Nonspecific marker of Still in experimental				`
	7 Diffusion	Characterizes 3-D diffusion	Nonspecific marker of	
	tensor imaging	of water	-	_

(DTI) Form of DWI	Tracks nerves from adjacent structures Characterizes microstructural changes	imposing diagnostic or therapeutic challenges	Future applications may be related to salvage of important structures during
			surgery
8 Hypoxia (optical-based, MRI-based, or PET imaging-based)	PET-based potential tumor hypoxia imaging agents include 18FFMISO and copper 60 (II)-diacetyl-bis (N4- methylthiosemicarbazone)	Suboptimal imaging Poor resolution	Crucial for prognostication of tumors (predicting aggressiveness, metastatic spread, and rate of recurrence)
			Response to chemoradiation
9 Cell proliferation (PET-based)	Injected 3'-deoxy-3'-F-18- fluorothymidine becomes concentrated in nucleosides	Tumor vs. normal tissue contrast is low Less marrow uptake	Differentiates tumor activity from inflammation caused by radiation Lymph node detection Reduction in proliferative activity of primary tumor
10 Inhibition of	18F-galacto-RGD-PET		Planning and response
tumor	imaging of avB3		evaluation of avB3-
neoangiogenesis	expression, a receptor related to tumor angiogenesis and metastasis		targeted therapies

## **Applications of fusion imaging**

PET-CT /PET-MRI has spured the development of multiple applications that can be categorized into oncological and non-oncological applications as follows:

#### **Oncological Conditions:**

- F18-FDG used for detection of osseous metastasis and gives an extra advantage for detecting occult primary and unexpected metastasis .Figure 1<sup>22</sup>
- b. F18-FDG also used for assessment of metabolic activity in malignant lesion, staging, treatment planning and prognostication.<sup>23</sup> Figure 2<sup>5</sup>
- G68-DOTA-NOC (Gallium Ga 68-DOTANOC is a conjugate of the somatostatin
- analogue 1-Nal3-octreotide (NOC) and gallium Ga 68-labeled 1,4,7,10-tetraazacyclododecane-N,N',N",N"'-tetraacetic acid (DOTA) )are used for tumors expressing somatostatin receptors most common in neuroendocrinal tumors.24
- F18-choline is used to identify any lesion with high ia cell choline content(which membrane proliferation marker).<sup>25</sup>
- F18-angiography can be used assessing the neuro vascularization of the tumors similar to CT and MRI perfusion.
- PET-MRI has applications mainly in head and neck region in CNS tumors. 26,27

#### Case 1

Beneficial use of retrospective image fusion in a case of recurrent tumour disease. The presented case has suspected recurrent disease after resection of a squamous cell carcinoma of the floor of the mouth and tongue and reconstruction with a microvascular radial forearm flap and adjuvant radiation. [Fig 1A, 1B, 1C]




Fig. 1A: The tissue by MRI alone was rated as probably malign, attributable to the abnormal contrast enhancement in the right posterior site of the floor of the mouth (red arrow). The region near the midline of the residual tongue (white arrow) was interpreted as an anatomical alteration after surgery and irradiation




Fig. 1B: PET alone showed a moderate increase of tracer up-take near the midline and both PET alone and the side-by-side analysis were rated as "probably benign




Fig. 1C: Retrospective fused PET/MRI provided the correct diagnosis of recurrent tumour disease through the correct alignment of morphological and functional imaging data; however, the disease was present not in the dorso-lateral region (histology: scar fibrosis) but near the midline in the residual tongue

#### Case 2




Fig. 2A: Plain axial CT demonstrating a soft-tissue mass in the left parotid region




Fig. 2B: PET scan of the same patient showing hot spots in the tumor mass, suggestive of high metabolic activity




Fig. 2C: Fused PET-CT image providing both anatomic and functional detail

#### Non -oncological Conditions:

**Neurological applications:** In epilepsy and dementia, <sup>28</sup> CT and MRI detect unexpected clinically lesion in only 5% patients of dementia.

A metabolic mass in the brain or spinal cord can be well delineated morphologically by MRI. Hypometabolic areas of the brain can be epileptogenic foci in the interictal phase on <sup>18</sup>F-FDG-PET imaging.<sup>28</sup>Also, MR –tractography images can be fused with PET images as a well as routine MR images to demonstrate white and grey matter hypertrophy corresponding to hypometabolic areas on PET.<sup>29,30</sup>

**Infection and inflammation:** CT is the best choice for detection of thoracic and abdominal infection, while MRI is mainly preferred for soft tissue contrast and higher sensitivity to tissue edema and hypermia. In nuclear medicine, several agents are used for detection of sites of infection and inflammation,the commonest example indium-111, technetium-99m (<sup>99m</sup>Tc) and gallium-67citrate.<sup>31-33</sup>

# Advantages of fusion imaging 34-36

- 1. It provides functional and structural information in the data image.
- 2. Accurate identification of size and location of tumor/metastasis margins, for better tumor staging.

- 3. This technique also permits a best identification for the small recurrent tumors.
- The identification of lymph node metastasis or small tumor areas, as this is missed by CT/MRI.
- It also helps in guiding in the treatment planning, biopsy, surgery, or radiation therapy and prognostication.
- 6. Helps in locating the primary lesion in cases with unknown primary tumors.
- 7. Also improves reading efficiency.
- 8. It improves confidence in diagnosis when one modality one is not definitive.

## Disadvantages of fusion imaging<sup>34,35</sup>

- Resultant image may be less clear than the original image.
- 2. It is high cost and low availability
- 3. Blurring of the image may affect the contrast of the resultant image.
- 4. Image distortion may be a problem such as ringing artifact or blocking effect
- 5. Procedure is complex.
- Greater degradation of spectral resolution and Lower spatial resolution
- 7. Limitation are imposed by specific imaging modalities or nature of the clinical problem.
- 8. Most of the techniques are still in experimental stages and refinement.
- 9. It also permits quantification between the scans.

# Conclusion

Fusion Imaging is the process of combining relevant information from a set of images into a single image, wherein the fused image becomes more informative and complete, and has increased applications compared with the input images. Interpretation of fused images like PET/CT and PET/MRI is better than the separate interpretation of either CT, MRI or PET images Although fusion imaging has wide clinical application in oncology and provide a more specific ,comprehensive picture of the disease, refinement of the existing techniques for a wide array of practical applications may serve to further expand the current fusion imaging protocols and applications.

#### References

- Leong J, F.Siegel, Alan H.Clinical applications of fusion imaging. Appl Radiol 2003;32(11).
- Pietrzyk U. Does PET/CT render software fusion obsolete? Nuklearmedizin 2005;44:S13–7.
- Weigert M, Pietrzyk U, Muller S, Palm C, Beyer T. Whole-body PET/CT imaging: combining software- and hardware-based coregistration. Z Med Phys 2008;18:59– 66.
- Ahuja A, Ying M. Sonography of neck lymph nodes. Part II. Abnormal lymph nodes. Clin Radiol 2003;58:359–66.
- 5. Konidena A., Shekhar S., Dixit A. et al. Fusion imaging: a bipartite approach. *Oral Radiol* 2018:34(1):1-9.

- Paulino AC, Thorstad WL, Fox T. Role of Fusion in radiotherapy treatment planning. *Semin Nucl Med* 2003;23(3):238-43.
- Townsend DW. (2004) Physical Principles and Technology of Clinical PET Imaging; Ann Acad Med Singapore 33:133-45.
- Nahvi N, Mittal D. Medical image fusion using discrete wavelet transform. Int J Eng Res Appl 2014;4:165–70.
- Kusuma J, Murthy KNN. Fusion of medical image by using STSVD—a survey. Int J Eng Res Gen Sci 2015;3:571–7.
- Navarra J, Alsius A, Soto-Faraco S, Spence C. Assessing the role of attention in the audiovisual integration of speech. *Inf Fusion* 2010;11:4–11.
- Ghom A. Textbook of Oral Radio. Fusion imaging. 1<sup>st</sup> ed, Elsevier Publication 2008. CN:35:382-4 G.Widman
- Juweid ME, Cheson BD, Positron-emission tomography and assessment of cancer therapy. N Engl J Med 2006;354(5):496-507.
- 13. Friedland G, Thurber B. The birth of CT. *AJR Am J Roentgenol* 1996;167:1365-71.
- 14. Nutt R (2002) The history of positron emission tomography. *Mol Imaging Biol* 4(1):11–26.
- Jaszczak R (2006) The early years of single photon emission computed tomography (SPECT): an anthology of selected reminiscences. *Phys Med Biol* 51:R99–R115
- Hasegawa BH, Gingold EL, Reilly SM, Liew SC, Cann CE. Description of a simultaneous emission-transmission CT system. Proc Soc Photo Instrum Eng 1990;1231:50–60.
- Hasegawa BH, Iwata K, Wong KH, Wu MC, da Silva AJ, Tang HR, et al. Dual-modality imaging of function and physiology. *Acad Radiol* 2002;9:1305–21.
- Beyer T, Townsend DW, Brun T, Kinahan PE, Charron M, Roddy R, et al. Combined PET/CT scanner for clinical oncology. *J Nucl Med* 2000;41:1369–79.
- 19. Townsend DW. Multimodality imaging of structure and function. *Phys Med Biol* 2008;53:1–39.
- S.Ghom, A.Ghom, FM Debta, A.Deoghare. Fusion imaging: the double impact *J Ind Acad Oral Med Radiol* 2011;23(3):225-8.
- Crum WR, Hartkens T, Hill DLG. Non-rigid image registration:theory and practice. *Br J Radiol* 2004;77:140–53
- Denys JL, Michel S, Veronika W, Julia D, Lucas MR, Thomas M, Anuja P, Matthias E, Markus S, Ambros JB. Diagnostic value of retrospective PET-MRI fusion in head and neck cancer. BMC Cancer 2014;14(1):1-10.
- Britz-Cunningham SH, Millstine JW, Gerbaudo VH.
   Improved discrimination of benign and malignant lesions
   on FDG PET/CT, using comparative activity ratios to
   brain, basal ganglia, or cerebellum. *Clin Nucl Med* 2008;
   33 (10):681-7.
- Krausz Y, Rubinstein R, Mishani E, Orevi M, Tshori S, Salmon A, et al. Ga68-ANOC uptake in the pancreas: Pathological significance?. *Nucl Med* 2010;51(Suppl 2):406.
- Beheshti M, Vali R, Waldenberger P, Fitz F, Nader M, Hameer J, et al. The use of F-18 choline PET in the assessment of bone metastases in prostate cancer: correlation with morphological changes on CT. *Mol Imaging Biol* 2010;12(1):98-107.
- Ledezma CJ, et al. 18F-FDOPAPET/MRI fusion in patients with primary/recurrent gliomas: Initial experience, Eur J Radiol 2008; doi:10.1016/j.ejrad.2008.04.018

- 27. Jacobs AH, Kracht LW, Gossmann A, Ruger MA, Thomas AV, Thiel A, et al. Imaging in Neurooncology. *NeuroRx* 2005;2(2):333-47.
- Gondim CFJL, Barbosa da FLM, Côrtes DR, Côrtes DR, Souza de MNLS, Leandro GE. Brain 18FFDG PET-MRI coregistration: iconographic essay. *Radiol Bras* 2010;43(3):195-201.
- Beheshti M, Vali R, Waldenberger P, Fitz F, Nader M, Hameer J, et al. The use of F-18 choline PET in the assessment of bone metastases in prostate cancer: correlation with morphological changes on CT. *Mol Imaging Biol* 2010;12:98–107.
- Ledezma CJ, Chen W, Sai V, Freitas B, Cloughesy T, Czernin J, et al. 18F-FDOPAPET/MRI fusion in patients with primary/ recurrent gliomas: initial experience. Eur J Radiol 2009;71:242–8.
- 31. Davison JM, Montilla-Soler JL, Broussard E, Wilson R, Cap A, Allen T. F-18 FDG PET-CT imaging of a mycotic aneurysm. *Clin Nucl Med* 2005;30:483–7.
- 32. Kilk K, Hyhlik-Durr A, Afshar-Oromieh A, Bockler D. Chronic abdominal aortic graft infection: detection with 18F-FDG-PET/ CT. Chirurg. 2010;81:653–6.
- Alexanderson E, Somka P, Cheng V, Meave A, Saldana Y, Garcia-Roias L, et al. Fusion of positron emission tomography and coronary computed tomographic angiography identifies fluorine 18 fluorodeoxyglucose uptake in the left main coronary artery soft plaque. *J Nucl Cardiol* 2008;5:841–3.
- Little JA, Hill DLG, Hawkes DJ. Deformations incorporating rigid structures. *Comput Vis Image Underst* 1997;66:223–32.
- 35. Paulino AC, Thorstad WL, Fox T. Role of fusion in radiotherapy treatment planning. *Semin Nucl Med* 2003;23:238–43.
- Stokking R, Zubal IG, Viergever MA. Display of fused images: methods, interpretation, and diagnostic improvements. Semin Nucl Med 2003;23:219–27.