



Available online at www.ujpronline.com
Universal Journal of Pharmaceutical Research
An International Peer Reviewed Journal
 ISSN: 2831-5235 (Print); 2456-8058 (Electronic)



Copyright©2025; The Author(s): This is an open-access article distributed under the terms of the CC BY-NC 4.0 which permits unrestricted use, distribution, and reproduction in any medium for non-commercial use provided the original author and source are credited

REVIEW ARTICLE

THE DREAMING BRAIN: A MULTIDISCIPLINARY SYNTHESIS OF NEURAL MECHANISMS, COGNITIVE FUNCTIONS AND PATHOLOGICAL MANIFESTATIONS

Mostafa Essam Eissa 

Independent Researcher and Consultant, Cairo, Egypt.

Article Info:



Article History:

Received: 6 February 2025

Reviewed: 11 March 2025

Accepted: 16 April 2025

Published: 15 May 2025

Cite this article:

Eissa ME. The dreaming brain: A multidisciplinary synthesis of neural mechanisms, cognitive functions and pathological manifestations. Universal Journal of Pharmaceutical Research 2025; 10(2): 59-62. <http://doi.org/10.22270/ujpr.v10i2.1315>

*Address for Correspondence:

Dr. Mostafa Essam Eissa, Independent Researcher and Consultant, Cairo, Egypt. Tel: +20100615485; E-mail: mostafaessameissa@yahoo.com

Abstract

Dreaming, a universal phenomenon linked to REM sleep, arises from intricate interactions between limbic regions, cortical networks, and neurotransmitter dynamics. Neuroimaging highlights amygdala and hippocampal hyperactivity alongside prefrontal cortex hypoactivity, elucidating the emotional vividness and cognitive disorganization of dreams. Cholinergic pathways drive REM sleep, while suppressed serotonergic and noradrenergic activity impairs reality monitoring. Emerging evidence suggests multifaceted roles for dreaming: consolidating memories via hippocampal-neocortical dialogue, modulating emotions through fear extinction, and fostering creativity via associative cognition. Pathological dream patterns such as PTSD-related nightmares or reduced recall in depression reflect dysregulated neural circuits. Therapeutic strategies, including SSRIs and cognitive therapies, target these mechanisms. Innovations like fMRI-based dream decoding and cross-cultural studies reveal conserved neurophysiology beneath sociocultural variations. This synthesis positions dreaming as a lens for exploring consciousness, sleep-dependent cognition, and neuropsychiatric interventions. Future research may leverage closed-loop neuromodulation to probe dream content and neuroplasticity.

Keywords: Acetylcholine, cognitive problem-solving, emotional processing, memory consolidation, neurotransmitter systems, REM sleep.

INTRODUCTION

A dream is a transient mental phenomena emerging during sleep have intrigued humanity for millennia. Though their definitive purpose continues to elude consensus, modern neuroscience has clarified aspects of the brain's role in generating these experiences¹. This concise summary outlines contemporary perspectives on the neurobiology of dreaming, addressing its hypothesized roles and relevance to clinical contexts.

Neural foundations of dreaming REM sleep and cerebral dynamics:

Dreaming is closely linked to Rapid Eye Movement (REM) sleep, a phase marked by heightened cerebral activity and physiological stimulation. During REM, distinct neural activation patterns emerge: regions like the amygdala (associated with emotional regulation) and hippocampus (critical for memory formation) exhibit intensified engagement^{2,3}. Conversely, reduced activity in the prefrontal cortex—a hub for logic and decision-making—may explain the surreal, disjointed narratives often reported in dreams.

Chemical signaling in sleep states:

The regulation of sleep cycles and dream phenomena involves complex interactions among neurotransmitter systems, which modulate transitions between wakefulness and sleep stages. Acetylcholine, a neurotransmitter associated with arousal and attention, is thought to promote REM sleep and dream activity. Norepinephrine and serotonin, which are involved in arousal and mood regulation, are suppressed during REM sleep, contributing to the reduced sensory awareness and emotional intensity often experienced in dreams. Dopamine, a neurotransmitter implicated in reward and motivation, may also play a role in dream generation, particularly in relation to positive and rewarding dream content⁴⁻⁶.

The functions of dreaming:

Despite ongoing debate about the biological role of dreaming, multiple theories have been put forward to explain its potential functions.

Memory integration:

A leading explanation posits that dreaming contributes to memory consolidation a mechanism for reinforcing

and organizing stored information. During rapid eye movement (REM) sleep, neural activity may reactivate and reorganize prior experiences, aiding the incorporation of new data into established cognitive frameworks. Research indicates that disrupting REM sleep hinders this process, particularly impairing the retention of skill-based tasks and emotionally significant memories^{7,8}.

Emotional processing:

Dreams may also serve as a mechanism for emotional processing. By simulating emotional experiences, dreams may help individuals to understand and regulate their emotions. Some researchers have proposed that dreams can help to resolve emotional conflicts and reduce stress^{9,11}.

Cognitive problem-solving:

Another hypothesis suggests that dreams can facilitate creative problem-solving¹²⁻¹⁴. The relaxed and non-linear thinking associated with dreaming may allow for novel insights and innovative solutions. Studies have shown that individuals who report more frequent and vivid dreams tend to be more creative.

Clinical implications of dream research

Dream research has significant clinical implications, particularly in the field of mental health.

Dream analysis in psychotherapy:

Dream analysis, a technique pioneered by Sigmund Freud, involves the interpretation of dream symbols to gain insight into unconscious thoughts and feelings. While the effectiveness of traditional dream analysis has been debated, contemporary approaches, such as psychodynamic dream interpretation and cognitive-behavioral dream therapy, have shown promise in addressing various mental health issues, including anxiety, depression and trauma¹⁵⁻¹⁷.

Pharmacological interventions for dream disturbances:

Pharmacological interventions can be used to target specific neurotransmitter systems involved in sleep and dreaming. For example, antidepressants, such as Selective Serotonin Reuptake Inhibitors (SSRIs), can reduce the frequency and intensity of nightmares by modulating serotonin levels. Antipsychotic medications, which affect dopamine and serotonin receptors, may also be helpful in treating certain types of dream disturbances¹⁸⁻²⁰. Table 1 highlights different neurotransmitter systems and medications can influence dreaming, particularly in the context of REM sleep and its associated brain activity²¹⁻²⁶.

Table 1: A brief overview of the materials affecting the dreaming.

Compound/Drug Class	Impact on Dreaming*
SSRIs	Mitigate nightmares via serotonin reuptake inhibition ²¹ .
Antipsychotic Medications	Modulate dopamine/serotonin receptors to reduce dream distortions ²² .
Acetylcholine	Promotes REM sleep and vivid dreaming ²³ .
Norepinephrine	Suppression during REM sleep reduces logical coherence ²⁴ .
Serotonin	Suppressed during REM sleep, similar to norepinephrine, affecting mood regulation and emotional intensity in dreams ²⁵ .
Dopamine	Implicated in reward and motivation, may influence positive and rewarding dream content ²⁶ .

Table 2: Detailed comparison of the two neuroimaging techniques, highlighting their strengths and limitations.

Feature*	fMRI	MEG
Signal measured ³⁰	Blood Oxygen Level-Dependent (BOLD) signal	Magnetic fields generated by neural activity
Spatial resolution ³¹	High (1-2 mm)	Moderate (5-10 mm)
Temporal resolution ³²	Low (seconds)	High (milliseconds)
Sensitivity to deep brain structures ³³	Limited	Limited
Sensitivity to surface brain activity ³⁴	High	High
Invasiveness ³⁵	Non-invasive	Non-invasive
Cost	High	High
Portability ³⁶	Low (requires large, stationary equipment)	Low (requires large, stationary equipment)
Use in clinical settings	Brain mapping, lesion detection	Epilepsy focus localization ³⁷
Data interpretation	Complex, requires advanced analysis techniques	Complex, requires advanced analysis techniques

Future directions

Subsequent studies on the neuroscience of dreaming should prioritize examining the brain processes involved in the creation of dreams and conscious experiences. Breakthroughs in brain imaging

technologies, such as functional MRI (fMRI) and magnetoencephalography (MEG), are poised to enhance the precision of analyzing cerebral activity during sleep-related mental states. These tools may offer deeper insights into how specific neural networks contribute to dream content and the interplay between

consciousness and subconscious brain function²⁷⁻²⁹. Table 1 provides a comparison of fMRI and MEG in practical application.

Additionally, interdisciplinary collaborations between neuroscientists, psychologists and psychiatrists are essential to fully understand the complex interplay between brain, mind and behavior³⁰⁻³⁷.

CONCLUSIONS

Dreams, once considered mysterious and enigmatic, are now increasingly understood as complex biological phenomena with significant implications for mental health and cognitive function. By exploring the neural basis of dreaming, its potential functions and its clinical applications, it would be possible to gain a deeper appreciation for the role of dreams in human experience. Future research promises to further elucidate the impact of the dream on human health, offering new insights into the nature of consciousness and the human mind.

ACKNOWLEDGEMENTS

None to declare.

AUTHOR'S CONTRIBUTION

Eissa ME: conceived the idea, writing the manuscript, literature survey, formal analysis, critical review.

DATA AVAILABILITY

Data will be made available on request.

CONFLICT OF INTEREST

None to declare.

REFERENCES

- McNamara Frontmatter P. The Neuroscience of Sleep and Dreams. Cambridge University Press.
- Neuro Launch editorial team. Brain activity during REM sleep: Unraveling the mysteries of dreaming 2024. <https://neurolaunch.com/brain-rem-sleep/>
- News N. The Dream Dance: Decoding REM's mystical nightly show in our brains. Neuroscience News 2023. <https://neurosciencenews.com/rem-sleep-dreaming-23909/>
- McNamara P. Dopamine and dreams. Psychology Today. 2016. <https://www.psychologytoday.com/us/blog/dream-catcher/201601/dopamine-and-dreams>
- NeuroLaunch editorial team. Brain Dreaming: The neuroscience behind our nightly mental adventures 2024. <https://neurolaunch.com/brain-dreaming/>
- Kennedy JJ. The Neuromission of Sleep | Psychology Today. <https://www.psychologytoday.com/us/blog/brain-reboot/202306/the-neuromission-of-sleep>
- Zhang Q. Dreaming: Memory consolidation and learning. encyclopedia of the sciences of learning 2012;1037-40. https://doi.org/10.1007/978-1-4419-1428-6_768
- Brain VB. Exploring the impact of sleep architecture on cognitive processing and memory consolidation - Very big brain. Very Big Brain 2024. <https://verybigbrain.com/brain-anatomy/exploring-the-impact-of-sleep-architecture-on-cognitive-processing-and-memory-consolidation/>
- Scarpelli S, Bartolacci C, D'Atri A, Gorgoni M, De Gennaro L. The functional role of dreaming in emotional processes. *Frontiers Psychol* 2019 Mar 15;10. <https://doi.org/10.3389/fpsyg.2019.00459>
- Dream Yo Team. Dreams and emotional processing: Unraveling the Mind's Nighttime Narratives. 2024 <https://dreamyo.com/dreams-and-emotional-processing/>
- Butler K. Understanding dreams: Meaning and sleep impact 2024. <https://sleepiverse.com/articles/dreams/>
- Hurd R. The cognitive theory of dreams 2009. <https://dreamstudies.org/calvin-hall-cognitive-theory-of-dreaming/>
- Domhoff GW. Dream Research.net: The case for a cognitive theory of dreams. https://dreams.ucsc.edu/Library/domhoff_2010a.html
- Walker M. Why your brain needs to dream. Greater Good. 2017. https://greatergood.berkeley.edu/article/item/why_your_brain_needs_to_dream
- Good Therapy. Dream Analysis 2016. <https://www.goodtherapy.org/learn-about-therapy/types/dream-analysis>
- Pistoia J, Silva S. How to interpret your dreams. *Psych Central* 2022. <https://psychcentral.com/lib/dream-analysis-and-interpretation>
- Porter R. The science behind dream analysis in therapy. Mind Diagnostics. <https://www.mind-diagnostics.org/blog/sleep-disorder/the-science-behind-dream-analysis-in-therapy>
- Zak R, Karipott A. Nightmares and nightmare disorder in adults 18. <https://www.uptodate.com/contents/nightmares-and-nightmare-disorder-in-adults>
- Aurora R, Zak R, Auerbach S, et al. Best practice guide for the treatment of nightmare disorder in adults. *J Clin Sleep Med* 2010;6(4). <https://aasm.org/resources/bestpracticeguides/nightmare-disorder.pdf>
- Holzinger B, Saletu B, Klösch G. Cognitions in sleep: Lucid dreaming as an intervention for nightmares in patients with posttraumatic stress disorder. *Front Psychol* 2020 Aug 21;11. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7471655/>
- Hobson JA, Pace-Schott EF. The cognitive neuroscience of sleep: neuronal systems, consciousness and learning. *Nature Rev Neurosci* 2002 Sep 1;3(9):679-93. <https://doi.org/10.1038/nrn915>
- James GM, Baldinger-Melich P, Philippe C, et al. Effects of selective serotonin reuptake inhibitors on interregional relation of serotonin transporter availability in major depression. *Frontiers Human Neurosci* 2017 Feb 6;11. <https://doi.org/10.3389/fnhum.2017.00048>
- Monti JM, Monti D. Sleep disturbance in schizophrenia. *Int Rev Psych* 2005 Aug 1;17(4):247-53. <https://doi.org/10.1080/09540260500104516>
- Aston-Jones G, Bloom F. Activity of norepinephrine-containing locus coeruleus neurons in behaving rats anticipates fluctuations in the sleep-waking cycle. *J Neurosci* 1981 Aug 1;1(8):876-86. <https://doi.org/10.1523/JNEUROSCI.01-08-00876.1981>
- Jouvet M. The role of monoamines and acetylcholine-containing neurons in the regulation of the sleep-waking cycle. *Neurophysiology and neurochemistry of sleep and wakefulness* 2010 Jun 24; 166:307. https://doi.org/10.1007/3-540-05462-6_2
- Eiser AS. Physiology and psychology of dreams. *Seminars in neurology* 2005 Mar; 25(01): 97-105. <https://doi.org/10.1055/s-2005-867078>
- Scarpelli S, Alfonsi V, Gorgoni M, Giannini AM, De Gennaro L. Investigation on neurobiological mechanisms of dreaming in the new decade. *Brain Sci* 2021 Feb 1;11(2):220. <https://doi.org/10.3390/brainsci11020220>
- Mutz J, Javadi AH. Exploring the neural correlates of dream phenomenology and altered states of consciousness during sleep. *Neurosci Conscious* 2017 Jan 1; 1. <https://doi.org/10.1093/nc/nix009>

29. News N. The mysteries of dreams and their impact on our lives. *Neuroscience News*. 2024.
<https://neurosciencenews.com/dreaming-sleep-impact-25928/>
30. Noll DC, Pauly JM, Meyer CH, Nishimura DG, Macovski A. Deblurring for non-2D fourier transform magnetic resonance imaging. *Magn Resonance Med* 1992 Jun 1;25(2):319–33. <https://doi.org/10.1002/mrm.1910250210>
31. Hämäläinen M, Hari R, Ilmoniemi RJ, Knuutila J, Lounasmaa OV. Magnetoencephalography—theory, instrumentation, and applications to noninvasive studies of the working human brain. *Rev Mod Phys* 1993;65(2):413–497. <https://doi.org/10.1103/RevModPhys.65.413>
32. Goense J, Bohraus Y, Logothetis NK. fMRI at high spatial resolution: Implications for BOLD-models. *Front Comput Neurosci* 2016;10:66.
<https://doi.org/10.3389/fncom.2016.00066>
33. Wens V. Exploring the limits of MEG spatial resolution with multipolar expansions. *Neuro Image* 2023;270:119953.
<https://doi.org/10.1016/j.neuroimage.2023.119953>
34. Beauchamp MS. Functional MRI for beginners. *Nature Neurosci* 2002 May;5(5):397–8.
<https://doi.org/10.1038/nn0502-397>
35. Soares JM, Magalhães R, Moreira PS, *et al*. A hitchhiker's guide to functional magnetic resonance imaging. *Front Neurosci*. 2016;10:515.
<https://doi.org/10.3389/fnins.2016.00515>
36. Piastra MC, Nüßing A, Vorwerk J, Clerc M, Engwer C, Wolters CH. A comprehensive study on electroencephalography and magnetoencephalography sensitivity to cortical and subcortical sources. *Hum Brain Mapp*. 2020; 41(12):3527–3541.
<https://doi.org/10.1002/hbm.25272>
37. Mandal PK, Banerjee A, Tripathi M, Sharma A. A comprehensive review of magnetoencephalography (MEG) studies for brain functionality in healthy aging and Alzheimer's disease (AD). *Front Comput Neurosci* 2018;12:60. <https://doi.org/10.3389/fncom.2018.00060>